



PROFESSIONAL WIRELESS  
COMMUNICATIONS

Specialist in Two-Way Radio

2024



PREMIUM AUDIO SOLUTIONS

952-746-2500 | [www.PWCMN.com](http://www.PWCMN.com)

# How To Read Our Stock Numbers

## Earpieces

|        |                                    |
|--------|------------------------------------|
| AT     | Acoustic Tube                      |
| AT1W   | Acoustic Tube 1 Wire               |
| AT1W-M | Acoustic Tube 1 Wire with          |
| ATS    | Acoustic Tube Straight SWVL Swivel |
| DR     | D-Ring                             |
| DRA    | D-Ring Adjustable                  |
| EB     | Earbud                             |
| EH     | Ear Hook                           |
| EHLG   | Ear Hook Large                     |
| SL     | SnapLock                           |
| SWVL   | Swivel                             |

## Receive Only Earpieces

|       |                            |
|-------|----------------------------|
| ROC   | Receive Only Coiled Wire   |
| ROS   | Receive Only Straight Wire |
| ATROC | Acoustic Tube Coil         |

## Earpiece Type

|       |                                |
|-------|--------------------------------|
| +     | Braided Fiber                  |
| 1W    | 1 Wire In-Line PTT             |
| 1WB   | 1 Wire Lines Out Bottom Of PTT |
| 2W    | 2 Wire                         |
| 3W    | 3 Wire                         |
| AT+2W | Acoustic Tube Braided 2 Wire   |

## Speaker Mics

|    |                 |
|----|-----------------|
| SM | Speaker Mic     |
| W  | Water Proof     |
| NC | Noise Canceling |
| L  | Long            |

## Headsets

|       |                     |
|-------|---------------------|
| HS    | Headset             |
| HSS   | Headset Single Ear  |
| HSD   | Headset Double Ear  |
| HSB   | Headset Behind Head |
| HSBHD | Headset Behind Head |
| HSIE  | Heavy In Ear        |

## Parts

|      |           |
|------|-----------|
| AD   | Adapter   |
| ETIP | Ear Tip   |
| BC   | Belt Clip |

# Table Of Contents

|  |       |   |       |
|--|-------|---|-------|
| Table Of Contents .....                      | 2     | Mil Spec Speaker Mic. 8 Active Noise Canceling .....  | 38-39 |
| How To Read Our Stock Numbers .....          | 3     | Wireless Choice™ PTT .....                            | 40-41 |
| Bluetooth Speaker Mic. .....                 | 4-5   | Available Cable Lengths .....                         | 42    |
| Wireless Pendant .....                       | 6     | Receive Only Earpieces .....                          | 43    |
| Product Branding & Engraving .....           | 7     | Microslide In-Ear Earpieces .....                     | 44-45 |
| Braided Fiber Cloth .....                    | 8-9   | Hi-Def In Ear Receive Only .....                      | 46-48 |
| Swivel Slim Earpieces .....                  | 10-11 | C-Ring Boom Noise Canceling Mic. .....                | 49    |
| SnapLock System PTT/Mic .....                | 12-14 | Hi-Def - Lightweight In-Ear Headset .....             | 50    |
| Acoustic Tube Earpieces .....                | 15    | Over & Behind Head - Lightweight Headsets .....       | 51    |
| Earhook Earpieces .....                      | 16    | Lightweight Headsets .....                            | 52    |
| D, C Ring & Ear Bud Earpieces .....          | 17    | Over & Behind Head - Lightweight Headsets .....       | 53    |
| Swivel Earpieces .....                       | 18    | Heavy Duty Headsets .....                             | 54    |
| Retail Swivel Earpieces .....                | 19    | Heavy Duty Headsets - Behind The Head .....           | 55    |
| ECO Priced Earpieces .....                   | 22-21 | Hirose™ Quick Disconnect Adapters & Accessories ..... | 56-57 |
| Wrap Tight Adjustable Sizing Earpieces ..... | 22-23 | Chargers .....  | 58-59 |
| Touch Free Hands Free PTT .....              | 24-25 | Acoustic Tube Ear Tips .....                          | 60    |
| Snaplock White Series .....                  | 26-27 | Headset Mic. Foams & Ear Pads .....                   | 61    |
| N•ear .....                                  | 28-33 | Adapters & Hirose .....                               | 62    |
| Speaker Microphones .....                    | 34-35 | Battery & Speaker Mic. Clips .....                    | 63    |
| Speaker Microphones Speaker Mic. 6 .....     | 36-37 | Accessory Connector Chart .....                       | 64-71 |


GET MORE FREEDOM WITH



# Bluetooth



## Speaker Mic 7 Now Wireless



Equipped with advanced Bluetooth technology, pairing your device is a breeze. Simply connect it to your compatible device and experience crystal-clear audio with no compromise in quality.

## Wireless Speaker Mic.

Bluetooth PTT with 3.5mm jack for earphone



### Dock charger (optional)

- Connects up to 10 single chargers with one power cord.
- Charging time is 2.5 hours.



### Supported devices:

Icom / Sepura / Kenwood / Hytera / IOS/Android PTT apps (e.g. Zello / Kodiak / Wave / ESchat / Sonim etc.) Optional adaptor dongle for two way radios (please inquire for more details on compatibility)

### Function and Feature

- Micro USB charging port
- Indication LED, Blue/Red
- Torch LED
- Volume control
- Multifunction button, answer/end call
- 3.5mm earphone jack
- Ingress protection level IP67
- Heavy duty belt clip
- Optional dock charger

### Specification:

- Operating Temp:  $-20^{\circ}\pm 2^{\circ}\text{C} \sim 50^{\circ}\pm 2^{\circ}\text{C}$
- Approx. Weight: 25g
- Size 60mm x 28mm x 15mm
- Bluetooth v5.0
- Echo cancellation, noise reduction
- High Quality DAC, Qualcomm CVC built-in
- 80MHz RISC MCU and 80MIPS Kalimba DSP
- Fast Current (260mA) battery charge
- HSP / HFP / A2DP / AVRCP / SPP/ BLE profile
- Support AES-128 and ECC-256
- PTT function: built-in
- Talking Range: Bluetooth class 2, 10 meters
- Display LED: Blue and Red
- DC Current: 21mA (Average)
- Battery: 260mAH rechargeable

# Wireless Pendant PTT & Mic.

Bluetooth PTT with 3.5mm jack for earphone

NEW



## Dock charger (optional)

- Connects up to 10 single chargers with one power cord.
- Charging time is 2.5 hours.



## Function & Features

- 3.5mm earphone port
- Indication LED, Blue/Red/Purple
- Volume control
- Multifunction button, answer/end call
- Ingress protection level IP67
- Belt clip
- Magnetic charging cable
- Optional dock charger

## Specification:

- Operating Temp:  $-20^{\circ}\pm 2^{\circ}\text{C} \sim 50^{\circ}\pm 2^{\circ}\text{C}$
- Approx. Weight: 25g
- Size 60mm x 28mm x 15mm
- Bluetooth v5.0
- Echo cancellation & noise reduction
- High Quality DAC, Qualcomm CVC built-in
- 80MHz RISC MCU and 80MIPS Kalimba DSP
- Fast Current (260mA) battery charge
- HSP / HFP / A2DP / AVRCP / SPP/ BLE profile
- Support AES-128 and ECC-256
- PTT function: built-in
- Talking Range: Bluetooth class 2, 10 meters
- Display LED: Blue & Red
- DC Current: 21mA (Average)
- Battery: 260mAH rechargeable

## Supported devices:

6 Icom / Sepura / Kenwood / Hytera / IOS/Android PTT apps (e.g. Zello / Kodiak / Wave / ESchat / Sonim etc.) Optional adaptor dongle for two way radios (please inquire for more details on compatibility)

HOME OF THE ORIGINAL  
**BRAIDED  
FIBER  
CLOTH®  
EARPIECES**

**3X STRONGER**  
**90 POUND PULL-STRENGTH**

**Braided Fiber Cloth®**

Braided Fiber Cloth® cords and PTT's are available in every earpiece in our catalog. Users love the way it lays on the body and how strong they are.

**Acoustic Tube**

**3X STRONGER**



C-Ring

Swivel

Ear Hook

Adj. D Ring

**Available Setups**

- 1-Wire Kit
- 2-Wire Kit
- Snaplock Earpiece System



# SWIVEL SLIM

## EARPIECES

### COMFORTABLE SLEEK & SLIM SOLUTION

#### Swivel Slim Earpieces

**Braided Fiber Cloth®  
Swivel Slim 1 Wire**

**SWVLSLIM+1W**

- Slim profile
- Tangle-free
- Enhanced comfort
- Slim in-line PTT & microphone with added shielding



**Braided Fiber Cloth®  
Swivel Slim Boom 1 Wire**

**SWVLSLIMBOOM+1W**

- Premium Flexible Boom Mic.
- Tangle-free
- Enhanced comfort
- A straight through slim in-line PTT



**SnapLock  
SWVL SLIM**

**SL-SWVLSLIM**

**Receive Only  
SWVL SLIM**

**SWVLSLIMROC30**



# SNAPLOCK® EARPIECE SYSTEM

1 WIRE | 2 WIRE | 3 WIRE

AVAILABLE IN:  
BRAIDED FIBER CLOTH  
OR STANDARD RESIN LINE

## SnapLock System PTT/Mic.

### Braided Fiber Cloth® SnapLock 1 Wire

SL+1W



- Improved strength and durability
- Tangle-free
- A straight through in-line PTT / microphone with added shielding
- With male SnapLock connector

### High-Quality SnapLock® Metal-to-metal connector



### SnapLock® 2 Wire

SL2W

- Clip-on PTT with microphone
- With male SnapLock connector



### Braided Fiber Cloth® SnapLock 1 Wire

SL+1WB



- Improved strength and durability
- Tangle-free
- With male SnapLock connector

### Braided Fiber Cloth® SnapLock 2 Wire

SL+2W



- Improved strength and durability
- Tangle-free
- Noise canceling premium microphone with clip-on PTT
- With male SnapLock connector

### SnapLock® 1 Wire

SL1W



- A straight through in-line PTT with microphone
- With male SnapLock connector

**KEVLAR**  
Cords on All Earpieces

- Industry-leading 90lb pull-strength
- Specialized cable for flexibility in various temperature environments

- Molded stress relief at connector

## SnapLock® System Earpieces

### 1 or 2 Wire PTTs Braided Fiber® or Resin Cord

#### SnapLock In-Ear Hi-Def

SL-HD+IEG Gel Tip  
SL-HDIEF Foam Tip



#### SnapLock Swivel SL-SWVL



#### SnapLock Hi-Def Acoustic Tube

SL-ATHD+ Knowles Speaker



#### SnapLock Covert Ear Tips

SL-ET+2-W White

SL-ET+2-B Black



#### SnapLock Earhook

SL-EH Standard  
SL-EHLG Large speaker



#### SnapLock D&C-Ring SL-DR Adjustable SL-DR Standard SL-CR C-Ring



#### SnapLock Acoustic Tube

SL-AT Premium Acoustic Tube  
SL-ATR Economically priced for  
retail and hospitality



#### SnapLock 3.5 Connector

SL-F3.5 Female

SL-M3.5 Male



## Acoustic Tube Earpieces

### Braided Fiber Cloth® Acoustic Tube 1 Wire

AT+1W



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- A straight through in-line PTT / microphone with added shielding

### Acoustic Tube 1 Wire

AT1W



- A straight through in-line PTT with microphone
- Surgical tubing with UV protection

### Acoustic Tube 2 Wire

AT2W



- Clip-on PTT with microphone
- Surgical tubing with UV protection

### Acoustic Tube 3 Wire

AT3W



- Surgical tubing with UV protection
- Palm PTT
- Discreet clip-on microphone

## Earhook Earpieces

### Braided Fiber Cloth® Ear Hook 1Wire

**EH+1W**

- Improved strength and durability
- Tangle-free
- Enhanced comfort
- A straight through in-line PTT/ microphone with added shielding



### Ear Hook 1 Wire

**EH1W**

- A straight through in-line PTT with microphone



### Ear Hook with large speaker

**EHLG1W**

- Oversized Ear Hook speaker
- A straight through in-line PTT with microphone



### Braided Fiber Cloth® Ear Hook 2 Wire

**EH+2W**

- Improved strength and durability
- Tangle-free
- Noise canceling premium microphone with clip-on PTT



### Ear Hook 2 Wire

**EH2W**

- Clip-on PTT with microphone



## D, C Ring & Ear Bud Earpieces

### D-Ring Adjustable

**1 Wire**

**DR1W**

**DRA1W**

- A straight through in-line PTT with microphone



### C-Ring 1 Wire

**CR1W**

**CR+1W**

- A straight through in-line PTT with microphone



### Ear Bud 1 Wire

**EB1W**

- A straight through in-line PTT with microphone



## Swivel Earpieces

### Braided Fiber Cloth® Swivel 1 Wire

#### SWVL+1W

- Improved strength and durability
- Tangle-free
- A straight through in-line PTT
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users



### Swivel 1 Wire

#### SWVL1W

- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users



### Swivel 2 Wire

#### SWVL2W

- Clip-on PTT with microphone
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users



## Retail Swivel Earpieces (Coiled Wire)



### SMALLER PTT & COILED CORD



Motorola 2 Pin (MA)



Kenwood 2 Pin (K)



Kenwood PKT-23 (K2)

# ECO PRICE

## 1-YEAR WARRANTY

25% TO 35% LOWER PRICING

### ECO Pricing Earpieces

#### Ear Hook 1 Wire

**EH1WB(eco)**

- Lines out Bottom PTT with Microphone



#### Swivel 1 Wire

**SWVL1WB(eco)**

- Lines out Bottom PTT with Microphone



#### D-Ring 1 Wire

**DR1WB(eco)**

- Lines out Bottom PTT with Microphone



#### Acoustic Tube 1 Wire

**AT1WB(eco)**

- Lines out Bottom PTT with Microphone



#### Acoustic Tube 2 Wire

**AT2W(eco)**

- 25% 35% Lower Pricing
- Quality Microphone
- Loud Speaker
- Strong 360 Degree Rotating Clip
- Replaceable Parts
- 1 Year Warranty



# WRAP TIGHT

ADJUSTABLE  
SIZING EARPIECE

ADJUSTABLE CORD LENGTH FOR  
DIFFERENT SIZE PEOPLE

## Wrap Tight Adjustable Sizing Earpieces



**Swivel Wrap-Tight**  
**SWVLWT1W**

- A straight through in-line PTT with microphone



**Ear Hook Wrap-Tight**  
**EHWT1W**

- A straight through in-line PTT with microphone

### Why Choose Wrap Tight?

- Make it long or make it short
- Wrap-up the extra line for perfect fit
- Premium in-line microphone
- Strong rotating clothing clip

**KEVLAR**  
Cords on All Earpieces

- Industry-leading 90lb pull-strength
- Specialized cable for flexibility in various temperature environments

- Molded stress relief at connector

# TOUCH FREE

## HANDS FREE PTT

AVAILABLE WITH:  
SNAPLOCK EARPIECES

AVAILABLE IN:  
1 OR 2 WIRE KITS



### Touch Free Hands Free PTT

#### Wristband Easily Snaps On

The silicone material allows for a fast snap onto your wrist easily for a clean comfortable fit.

Touch-Free Available in SnapLock  
& all of our 1 & 2 Wire PTT's



#### Construction / Mechanics

Workers with thick gloves or greasy hands can wear the wrist sensor PTT to activate without touching the earpiece PTT.



#### Healthcare Industry

Medical teams that require sanitation at all times can wear the wrist sensor PTT to speak without touching the earpiece PTT.

# SNAPLOCK® WHITE SERIES



FOR USERS THAT  
WANT A LIGHTER LOOK




ITEM # SL-EHW



ITEM # SL-CRW

**BRAIDED FIBER OR RESIN LINES**



ITEM # SL+1WW



ITEM # SL-1WW



ITEM # SL+1WMIC-3.5



ITEM # SL-1WMIC-3.5

# N•ear®

THE MOST COMFORTABLE EARPIECE IN RADIO




28

THE FUTURE IS  
N•ear



0% Ear  
Fatigue



Microspeaker  
Technology



360° Situational  
Awareness



Crystal Clear  
Communication



## N•EAR 360™ ORIGINAL

The N•ear 360™ Original earpiece is ear-specific and features a patented bend that offers a firm and secure hold. With a precise fit for either your left or right ear, the N•ear 360™ Original guarantees comfort and performance.

## N•EAR 360 FLEXO™

Experience the best of both worlds with the N•ear 360 Flexo™. With the same comfort and durability as the N•ear 360™ Original, the Flexo offers a game-changing feature: the ability to effortlessly switch between the left and right ears.

## N•EAR 360 FLEXO DYNAMIC™

The N•ear 360 Flexo Dynamic™ is designed for those who prioritize affordability. This model offers the same flexible bend that can be worn on either the left or right ear. By using a high-quality dynamic speaker versus an armature speaker, we successfully lowered the cost while maintaining crystal clear communication.


# EXPERIENCE

THE LUXURY OF ABSOLUTE COMFORT

Indulge in the unparalleled comfort and cutting-edge technology that eliminates ear fatigue, ensuring a luxurious experience. Immerse yourself in crystal-clear communication, seamlessly integrating advanced features for an unparalleled audio experience.

29

# N•ear®



N•EAR PROTECTR™ EAR PLUGS

# N•ear®



N•EAR 360 FLEXO™ WITH UNIVERSAL EAR MOLDS

THE FUTURE IS  
N•ear



Compatible with  
N•ear earpieces



Dual Ear  
Version Available



Customized  
Option Available



Contributes to  
Hearing Health


# PROTECT YOUR GREATEST ASSET

Immerse yourself in the unrivaled protection and advanced technology of the Protectr™. Safeguard your hearing without compromising sound quality or comfort from the range to the field. Protecting you from impulse sound up to 3dB of attenuation with our ANI IPIL certified filters.



## N•EAR 360 PROTECTR™ UNIVERSAL EAR MOLDS

Explore 360° situational awareness with N•ear Protectr™ Universal Size Ear Molds. Crafted for comfort, these molds offer a secure fit. The N•ear Protectr™ platform allows for easy tech unit changes to meet diverse audio needs. But that's not all: combine the Protectr™ line with the cutting-edge N•ear earpieces.



## N•EAR 360 FLEXO™ & CUSTOMIZED EAR MOLDS

N•ear offers customized ear molds that fit perfectly to your ears. Combine the versatile 360 Flexo™ earpiece, with the Protectr™ ear molds, featuring multi-mode shooting filters for enhanced protection. The N•ear Protectr™ platform allows you to change the tech unit at any time to fit versatile needs.



## N•EAR PROTECTR™ EAR PLUGS

The N•ear Protectr™ series offers a comprehensive selection of hearing protection solutions. Among them, the Shooting Multi-mode and Shooting Xtreme 25, designed to guard against damage caused by peak sound pressure levels from automatic fire, gunshots, artillery, and explosions.



THE FUTURE IS  
N\*ear

-  Wireless Capability\*
-  Water Resistant\*
-  90 lb. Pull Strength
-  Lays Tangle-Free




### CHOICE™ PTT/MIC.

Embracing the CHOICE™ PTT/Mic. facilitates a seamless transition away from traditional speaker mics, introducing a communication setup that is both lighter and more flexible. For users accustomed to earpieces directly linked to a speaker mic, the CHOICE™ PTT/Mic. operates similarly.



### CHOICE™ PTT/MIC. WATER RESISTANT

The CHOICE™ PTT/Mic. introduces advanced features, such as seamless pairing with a Bluetooth-compatible PTT, and is engineered with a high level of durability, boasting water resistance with an impressive IP67 rating.



### WIRELESS PTT/MIC. BUTTON

The CHOICE™ PTT/Mic. offers the added functionality of a Bluetooth Wireless PTT (sold separately), providing versatility for various applications. Ideal for use on steering wheels, handlebars, molly vests, belt loops, firearms, or any other convenient location, the Wireless PTT seamlessly integrates into your daily setup.

# EXPLORE

## LIGHT WEIGHT & FLEXIBLE PTT OPTIONS

Embrace the CHOICE™ PTT/Mic., a revolutionary alternative that eliminates the necessity for a conventional speaker mic., ushering in a communication setup that is not only lighter but also more flexible.

# SPARK GUARD PROTECTION

PREMIUM SPEAKER MICROPHONE  
MEMBRANE COVER

PROTECTS SPEAKER AGAINST HOT  
METAL SHAVINGS



## Speaker Microphones

Compact Size

### SM1

- Dimensions: 2.1" x 1" x 2.7"
- Compact, heavy-duty design



3.5mm accessory port on the side  
360 degree rotating clothing clip



Standard Size

### SM2

- Dimensions: 2.3" x 1.1" x 3"

Passive Noise Canceling

### SM2NC

- IP54 Dust & water resistant
- Heavy gauge 4.2mm cable
- Strong 360-degree rotating clip



3.5mm accessory port on the side  
360 degree rotating clothing clip



Compact Size

### SM3

- Dimensions: 2" x 1" x 2.8"
- Most economical
- Newly designed lightweight



3.5mm accessory port on the side  
360 degree rotating clothing clip



Heavy Duty

### SM4

- Dimensions: 2.4" x 1.2" x 3"
- IP55 rated/ water and dust resistant



3.5mm accessory port on the bottom  
SM4 model only  
360 degree rotating clothing clip



### SM4W

- Available in waterproof IP67
- No accessory jack



360 degree rotating clothing clip

Mobile Palm Mic.

### PM2

- Dimensions: 2.25" x .8" x 2"
- Includes mobile hang-up clip
- RJ45 connector
- IP54 rated water and dust resistant



**KEVLAR**  
Cords on All Speaker Mics

# SPEAKER MIC. 6

## MULTIPLE VERSIONS

AVAILABLE IN:

WATER PROOF IP67  
ACTIVE NOISE CANCELING  
EMERGENCY BUTTON  
EXTRA-LONG CORD  
SPARK GUARD PROTECTION



### Speaker Microphone 6 Options



#### SM6

- Compact, heavy-duty design
- IP55 rated water and dust resistant
- Dimensions: 2.25" x .8" x 2"
- Extra-Long, heavy-duty cord



#### SM6WE

- Compact, heavy-duty design
- Heavy-duty, fire-retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"
- Emergency Button



#### SM6WLNC

- Dual Mic. Active Noise Canceling
- Extra-Long heavy-duty cord



#### SM6WL

- SIP67 rated/ water and dust proof same features as above SM6W
- Extra-Long heavy-duty cord



- Great high and low volume
- IP55 water & dust resistant
- Led Indicator charging
- Volume control
- LED front light
- Replaceable lithium-ion 1500mAh battery
- Dimensions: 2.3" x 1.1 x 3"

# NOISE CANCELING

## PREMIUM ACCESSORIES



### Mil Spec Speaker Mic. 8 Active Noise Canceling



#### Function and Feature

- Dual Mic. Technology
- Performance speaker with
- Integrated DSP hard/software
- For active noise cancellation
- Via multiple microphones.



#### Specifications

- MIL-STD810G Tested
- IP67 water protection
- Active noise cancellation
- Dual microphones
- Flame retardant
- Large swivel belt clip w/ ring
- Nexus 4 pole jack for headset
- Audio jack for earphone 3.5mm
- Large front PTT
- Side PTT
- Volume (top) toggle switch
- Green or grey front PTT
- Red Transmit LED
- Optional emergency button
- Optional function button



# WIRELESS CHOICE®

WITH REPLACEABLE  
COIN CELL BATTERY



CONNECT TO OUR WIRELESS PTT.

PERFECT FOR ADDING EXTRA PTTS  
WHERE YOU NEED THEM.

CAPABLE OF CONNECTING MULTIPLE  
WIRELESS PTTS.



Wireless PTT for All Earpieces



C-Ring

Swivel

Ear Hook

Adj. D Ring



N-ear Original



Acoustic Tube



Ambient Noise Control

## Available Cable Lengths



## Receive Only Earpieces

### Hi-Def Premium Voice

**ATHDROC30-2.5** 12" long 2.5mm  
**ATHDROC30-3.5** 12" long 3.5mm



### Hi-Def Premium Voice

**HDIEG+ROS30-2.5** 12" long 2.5mm  
**HDIEG+ROS30-3.5** 12" long 3.5mm



### Acoustic

**ATROC10-2.5** 4" long 2.5mm  
**ATROC15-2.5** 6" long 2.5mm  
**ATROC30-2.5** 12" long 2.5mm  
**ATROC10-3.5** 4" long 3.5mm  
**ATROC15-3.5** 6" long 3.5mm  
**ATROC30-3.5** 12" long 3.5mm  
**ATROS120-3.5** 48" long 3.5mm



### N ear

#### Single or Dual Ear

**RO-360-22-2.5** 22" long 2.5mm  
**RO-360-22-3.5** 22" long 3.5mm  
**RO-360-22-2.5SD** 22" long 2.5mm  
**RO-360-22-3.5SD** 22" long 3.5mm



### D-Ring

**DRROC15-2.5** 6" long 2.5mm  
**DRROC15-3.5** 6" long 3.5mm  
**DRROC30-3.5** 12" long 3.5mm



### D-Ring Adjustable

**DRAROC15-2.5** 6" long 2.5mm  
**DRAROC15-3.5** 6" long 3.5mm  
**DRAROC30-3.5** 12" long 3.5mm



### Ear Hook

**EHROC15-2.5** 6" long 2.5mm  
**EHROC15-3.5** 6" long 3.5mm  
**EHROC30-3.5** 12" long 3.5mm



### Swivel

**SWVLROC15-2.5** 6" long 2.5mm  
**SWVLROC15-3.5** 6" long 3.5mm  
**SWVLROC30-3.5** 12" long 3.5mm



### Braided Fiber Receive Only SnapLock

**SL+ROS120-2.5** 48" long 2.5mm  
**SL+ROS120-3.5** 48" long 3.5mm



### Ear Bud

**EBROC15-2.5** 6" long 2.5mm  
**EBROC15-3.5** 6" long 3.5mm



See SnapLock System page

# MICROSLIDE®

## PERFECT ADJUSTABLE MICROSPEAKER




# MICROSLIDE

PERFECT ADJUSTABLE MICROSPEAKER

# HDIE


The Microslide earpiece is designed to be the most comfortable, covert, and best-sounding earpiece for 2-way radios. Simply place on your left or right ear and slide the cable for perfect in-ear microspeaker placement.



### Connecting to Radio

**SnapLock Option:**  
Seamlessly connect to your radio using a single wire or dual wire setup.

**Choice PTT:**  
Connect to your radio with a Wireless PTT option.



### Connecting to Speaker Mics

Simply plug in your earpiece directly into your speaker mic. audio port.



### Wax Filter Included

HDIE earbuds are designed with ear wax filtration to help protect your microspeaker and give longevity to your earpiece.



### MICROSLIDE HIGHLIGHT CHECKLIST:

✓ Best Value In The Market

✓ Adjustable Over The Ear Design

✓ Hi-definition Microspeaker

✓ Ultra Light & Low Profile

✓ 100% Environmental Awareness

✓ 0% Ear Fatigue

## Hi-Def Premium



### SnapLock Knowles In-Ear

#### SL-HDIE

- 100% Situational Awareness Tip
- In-Ear Micro Speaker Technology
- Knowles Speaker
- Zero Ear Fatigue



### SnapLock Acoustic Tube Knowles Speaker

#### SL-ATHD+

- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



### SnapLock Knowles In-Ear

#### SL-HDIEF

- Foam Ear Tip
- Mechanical On/Off Ambient Noise Control
- Knowles Speaker
- Engineered for premium voice quality



### SnapLock Knowles In-Ear

#### SL-HD+IEG

- Gel Ear Tip
- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



## Hi-Def Premium

### Hi-Def Receive Only Acoustic Tube

#### Item: ATHDROC30-3.5

- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Replaceable Acoustic Tube Screw In
- Comes with Three Ear Tips



### Hi-Def Snaplock Acoustic Tube

#### Item: SL-ATHD+

- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Works with all Snaplock Base PTT Systems
- Replaceable Acoustic Tube Screw In
- Comes with Three Ear Tips



## Hi-Def In Ear Receive Only


Situational Awareness  
Ear-Tip Included



### Specifications

|                    |                    |                  |
|--------------------|--------------------|------------------|
| Impedance          | 1200 + 10%         | (At 1.0kHz/0.2V) |
| Rated Input Power  | 1mW                |                  |
| Sensitivity        | 103db _ 3db @ 1KHz |                  |
| Frequency Response | 100Hz~10KHz        |                  |

### Included Parts



## C-Ring Boom Noise Canceling Mic.

### C-Ring Earpiece With In-line PTT

#### ITEM # CR1WBOOM

- Flexible boom microphone
- Enhanced Comfort (Left or Right Ear)
- Industry-Leading 30lb pull-strength
- Connectors available for most radio models



## Hi-Def - Lightweight In-Ear Headset

**HSHD+IEF**



- Hi-Def premium sound
- Noise Canceling Mic.

- Lightweight and comfortable
- Adjustable behind the head band
- Metal Headband
- Braided Fiber Cloth cords

### Noise Canceling Boom Mic.



### Premium Noise Reduction Foam Tips

**24.9 ~ 48.4 dB Reduction**



## Over & Behind Head - Lightweight Headsets

Premium Speakers  
Engineered specifically  
for Voice Quality



### Single Side Lightweight Over the Head Headset

**HSS**

- In-line PTT
- Adjustable over the head band
- Metal Headband



### Double Side Lightweight Over the Head Headset

**HSD**

- In-line PTT
- Adjustable over the head band
- Metal Headband



### Lightweight Behind the Head Headset

**HSB**

- In-line PTT
- Lightweight wire frame



### Lightweight H/D Behind the Head Headset

**HSBHD**

- In-line round mushroom PTT with coil cable
- Adjustable head strap
- Heavy duty wire frame

## Lightweight Headsets

### Hard Hat Headset

**HS2**

- Lightweight heavy duty hard hat headset
- High quality noise canceling microphone
- Super comfortable with foam ear pads
- Clips right into hard hat
- PTT on earmuff
- Detachable PTT Cable
- Cable sold separately HS4-CAB
- Works with all radio models



Item # HS2

Noise Canceling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24db - 33db

### Lightweight Padded Headset

**HS9**

- Adjustable over head dual ear muffs
- High quality noise canceling microphone
- Quality foam ear pad, replaceable
- Detachable coil cable
- Cable sold separately HS4-CAB
- Works with all radio models



Item # HS9

HS-PTTCAB

Noise Canceling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24db - 33db

## Over & Behind Head - Lightweight Headsets

Item # HS3

### Lightweight Flex Headset

**HS3**

- Lightweight heavy duty hard hat headset
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise canceling dual-diaphragm microphone
- Foam Replaceable earmuff pads
- Detachable coil cable
- Cable sold separately HS5-CAB
- Works with all radio models



Noise Canceling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24db - 33db

### Lightweight Flex Headset

**HS3G**

- Lightweight and tight collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise canceling dual-diaphragm microphone
- Foam Replaceable earmuff pads
- Detachable coil cable
- Cable sold separately HS5-CAB
- Works with all radio models



Noise Canceling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24db - 33db

## Heavy Duty Headsets

### Single Muff Headset

#### HS1

- Adjustable over head dual ear muffs
- High quality noise canceling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS4-CAB
- Works with all radio models



HS-PTTCAB

Noise Canceling Boom Mics | Premium Molded Gel Ear Pads | SNR Rating 24db - 33db

### Dual Muff Headset

#### HS1

- Adjustable over head dual ear muffs
- High quality noise canceling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS5-CAB
- Works with all radio models



HS-PTTCAB

Noise Canceling Boom Mics | Premium Molded Gel Ear Pads | SNR Rating 24db - 33db

## Heavy Duty Headsets - Behind The Head

### PTT in Cable Headset

#### HS5

- Behind The Head Headset
- Adjustable head band accommodates headgear
- Coil Cable sold separately HS5-CAB, NX-CAB

#### Available Colors



### PTT on Earmuff Headset

#### HS4

- Premium molded gel ear pads
- Includes spare boom mic. shield
- Flexible boom mic.
- Microphones are noise canceling/directional mic.
- SNR rating 33db H=33db M=32db L=24dB

#### Available Colors



### Volume and PTT on Headset

#### HS8

- Behind The Head Headset
- Adjustable head band accommodates headgear
- Volume control on right ear cup
- Push-to-talk on left ear cup
- Cable connector on both ear cups
- Coil Cable sold separately HS5-CAB



# HIROSE QUICK DISCONNECT



AVAILABLE FOR ALL  
EARPIECE OPTIONS

HIROSE ADAPTERS AVAILABLE  
FOR ALL MULTI-PIN RADIO MODELS



## Hirose™ Quick Disconnect Adapters & Accessories

Allowing users to quickly attach and detach accessories



Includes PTT and 3.5mm  
Accessory Port  
**AD-M3-HIROSE**

Motorola Radios  
**AD-M15-HIROSE**

Motorola  
MOTOTRBO Radios  
**AD-M12-HIROSE**

Kenwood Radios  
**AD-K1-HIROSE**

## Multiple Adapter Options



Motorola  
**AD-M12-M**



Motorola  
**AD-M15-M**



Kenwood  
**AD-K1-K**

## PREMIUM 12 BANK CHARGER FOR

# KENWOOD PKT23

Enhance your charging capabilities with our 12 Unit Charger—an indispensable accessory designed to optimize your communication setup. Elevate your charging experience as this robust charger ensures that your Kenwood PKT23 radios are consistently powered for uninterrupted communication.



Includes free custom labeling



### 1 Year Warranty:

Experience peace of mind, backed by our commitment to quality and durability. This charging solution comes with a 1-year warranty, ensuring your investment is protected.



### Compact Design:

Experience excellence with this 12 unit charger – boasting a compact design, premium components, and superior craftsmanship.



### Best Value in the Market:

Premium quality meets affordability. National Two Way is dedicated to delivering the best value on the market.



## Features

- Smart Reader - Automatically measures battery voltage for proper charging requirements
- Wall Mountable
- Green LED shows power to the charging cup
- Solid blue light on your radio indicates the radio is charging
- Blue light on the radio turns off when radio is fully charged

## Chargers



### Single Unit Rapid Charger

#### CH1B

- Rapidly charges up to 95% of Battery capacity then trickle charges the last 5% per cup
- Colored Charging Indicator Lights
- Smart Reader - Automatically measures battery voltage for proper charging requirement
- Wall Mountable
- 1 Year Warranty



### 6 Bank Square Charger

#### CH6BS

- Rapidly charges up to 95% of Battery capacity then trickle charges the last 5% per cup
- Colored Charging Indicator Lights
- Smart Reader - Automatically measures battery voltage for proper charging requirement
- Wall Mountable
- 1 Year Warranty



### 10 Bank Square Charger

#### CH10BS

- Rapidly charges up to 95% of Battery capacity then trickle charges the last 5% per cup
- Colored Charging Indicator Lights
- Smart Reader - Automatically measures battery voltage for proper charging requirement
- Wall Mountable
- 1 Year Warranty

## Acoustic Tube Ear Tips & Parts



Tan/Black  
Clear 1, 2, 3  
10 or 100 Pack  
**ETIP**



Molded Ear Tips  
Black/Clear/Pink  
S,M, L, Right/Left  
**EMB, EMC, EMF**



Ear Fin Tips  
S,M, L, Right/Left  
**EFIN**



Two and Thre Flang Tip  
**ETIP2-C, ETIP3-C**



Hi-Def Ear Tip  
**ETIPHDG-LLR**



Premium  
Noise Reduction Ear Tip  
24~48 dB  
1,10 or 100 Pack  
**ETIP-FOAM**



Premium Noise  
Reduction Ear Tips  
24~48 dB  
**ETIP-FOAM & PLUG**



YELLERS Noise  
Reduction ear tip  
1,10 or 100 pack  
**YELLERS**



Acoustic Tube  
Replacement Kit  
**ATCOMPSET**



Acoustic Tube  
& Clear Tips  
**C4TUBESET**



Clear Tips Surgical  
Tubing with Clear Tips  
**B4TUBESET**



Acoustic Surgical  
Tubing with Clear  
Tips  
**TUBESET**



Acoustic Tube to Clip  
Connector - Black  
**B4JOINTB**



Acoustic Tube to  
Ear Tip Elbow  
**LJOINT**



Acoustic Tube  
Clip - Black  
**B4CLIPB**



Ear Hook 10 Pack  
**ESSB-10-Black**



**MICMB** Mic. Sponge  
1 Pack/10 Pack  
For: HS1, HS2, HS3, HS3G, HS9,  
HSS, HSBHD & HSD



**MICLB** Mic. Sponge  
1 pack/10 pack  
**HS4, HS5, HS7, HS8**



**HSLWEP** Earpad  
**HSS & HSD**



Adjustable D-Ring 2  
Pack/10 Pack  
**DRATIP**



**EMEGPAD** Gel Pad  
For: HS1, HS4, HS5,  
HS7, HS8



Clip 2.0-3.8mm cable  
**CLIPA**



**ATHD** Clip  
**ATHDCLP**




Cable Clip  
**CLIP**



Wired Finger PTT  
**FPTT**



USB-MICRO Cable



Speaker Mic. 7  
Replacement Battery  
**SM7BAT**

## Adapters & Hirose

### Adapters



**AD-M12-M**  
Motorola



**AD-M15-M**  
Motorola



**AD-M4-M**  
Motorola



**AD-M5-3.5**  
Motorola



**AD-K1-K**  
Kenwood



**AD-Y3-FL3.5**  
Vertex



**ADC-Y3-FL3.5**  
Vertex

## Battery & Speaker Mic. Clips

### Battery Clips



**BC1 Clip**  
CP110 & RDU2080



**BC2 Clip**  
CP200, Motorola XPR6550



**BC3 Clip**  
HT750 & HT1250



**BC4 Clip**  
Motorola XPR6550



**BC5 Clip**  
Motorola XPR3500 & XPR7550

CALL FOR OPTIONS ON NON-US-STOCKED ADAPTERS

### Hirose



**AD-M3-HIROSE**  
Motorola



**AD-M15-HIROSE**  
Motorola



**AD-M12-HIROSE**  
Motorola



**AD-K1-HIROSE**  
Kenwood

### Speaker Mic. Clips



**Replacement Clip**  
**SM2CLIP**



**Replacement Clip**  
**SM3CLIP**



**Replacement Clip**  
**SM6CLIP**



**Replacement Clip**  
**PMCLIP**

## Accessory Connector Chart



| Image | Part no. | Works With Radio Models:   |
|-------|----------|--|
|       | M        | Works with:<br>BearCom - BC10, BC90, BC95, BC120, BC130, BC250D, BC300D<br>BlackBox - BlackBox Plus. |



| Image | Part no. | Works With Radio Models:       |
|-------|----------|--------------------------------|
|       | K        | Works with:<br>BearCom - BC200 |
|       | S3A      | Works with BearCom:<br>BC1000  |
|       | S3B      | Works with BearCom:<br>BC100   |



| Image | Part no. | Works With Radio Models:                  |
|-------|----------|---|
|       | M5       | Works with DigaTalk+:<br>DTP9850          |
|       | K        | Works with DigaTalk+:<br>DTP9750          |
|       | KM       | Works with DigaTalk+:<br>DTP8750, DTP8700 |

## Accessory Connector Chart



| Image | Part no. | Works With Radio Models:   |
|-------|----------|--|
|       | M3       | Works with EF Johnson:<br>Viking VP600, VP900, 5100 ES, 51SL   |
|       | K1       | Works with EF Johnson:<br>Viking 5000 Series- VP5230, VP5330, VP5430<br>Viking 6000 Series- VP6230, VP6330, VP6430 |



| Image | Part no. | Works With Radio Models:   |
|-------|----------|--|
|       | HR2      | Works with L3Harris:<br>P5300/5400/5500 Series- P5350, P5370, P5450, P5470, P5550, P5570,<br>P7300 Series - P7370, P7350<br>XG Series - XG-15P, XG-25P, XG-75P |
|       | HR3      | Works with L3Harris:<br>XG100P, XL185P, XL200P   |
|       | H6       | Works with L3Harris:<br>HDP100, HDP150, HDP250 Momentum  |
|       | H7       | Works with L3Harris:<br>HDP-250  |

## Accessory Connector Chart



| Image | Part no. | Works With Radio Models:   |
|-------|----------|--|
|       | H4       | Works with Hytera:<br>Business Digital- BD502i, BD552i, BD612i<br>PD4 Series- PD402i, PD412i, PD482i<br>PD5 Series- PD502i, PD562i<br>Analog- TC-508, TC-518, TC-580, TC-610, TC-700 |
|       | H5       | Works with Hytera:<br>TC320  |
|       | H6       | Works with Hytera:<br>PD7 Series- PD702i, PD752i, PD782i, PD792i-Ex<br>PD982i  |
|       | H7       | Works with Hytera:<br>H Series- HP602, HP682, HP702, HP782<br>PD6 Series- PD602i, PD662i, PD682i<br>X1pi, X1e  |
|       | H8       | Works with Hytera:<br>BD3 Series, PD3 Series, HALO - PNC370, X1e, X1pi   |
|       | H9       | Works with Hytera:<br>PNC360, PNC380   |
|       | M4       | Works with Hytera:<br>TC-980   |
|       | M5       | Works with Hytera:<br>TC-610P, TC700P, TC-780, TC-780P, TC-780M  |

## Accessory Connector Chart



| Image | Part no. | Works With Radio Models:   |
|-------|----------|--|
|       | S2B      | Works with Icom:<br>Analog- F200<br>Network- IP100H, IP501H<br>Aviation- A25   |
|       | S3A      | Works with Icom:<br>Analog- F3011/F4011, F3001/F4001<br>IDAS- F1100D/F2100D, F1100DT/F2100DT, F3210D/F4210D, F3230D/F4230D   |
|       | S3B      | Works with Icom:<br>IC-F1000 Series, IC-F2000 Series, IC-F1100D Series, IC-F2100D Series, IC-F3031S, IC-F3230DT/DS, IC-F4031S, IC-F 4230DT/DS, IC-F31W/41W, V88. BearCom BC1000 - Waterproof |
|       | I2       | Works with Icom:<br>Analog- F3161/F4161<br>[9 Pin]   |
|       | I4       | Works with Icom:<br>F3260, F3261D, F3360D, F3400D, F4261D, F3263, F4360D, F4400DT, F5400, F6400D, DS, F7010, F7020, F7040, F7210T, F9011, F9021, F52D, F62D<br>SAT-100                       |
|       | I5       | Works with Icom:<br>M93D, M94D, IP110H   |

## KENWOOD

| Image | Part no. | Works With Radio Models:   |
|-------|----------|--|
|       | K        | Works with Kenwood:<br>NEXEDGE/DMR- NX-1202/1302, NX-3220/3320/3420, NX-P1000<br>DMR Only- TK-D240/TK-D340<br>Analog- TK-2312/3312, TK-2317/3317, TK-2360/3260, TK-2400/3400<br>ProTalk- TK-2400/3400, TK-3230DX |
|       | K1       | Works with Kenwood:<br>NEXEDGE/DMR/P25- NX-3200/3300, NX-5200/5300/5400<br>NEXEDGE Only- NX-210G, NX-200G/300<br>P25 Only- TK-5220/5320  |
|       | K2       | Works with Kenwood:<br>PKT-23  |
|       | K5       | Works with Kenwood:<br>NX-P500   |
|       | KM       | Works with Kenwood:<br>Kenwood Mobile Palm Mic   |

## Accessory Connector Chart

**maxon**

| Image   | Part no. | Works With Radio Models:  |
|---|----------|---|
|  | M        | Works with Maxon:<br>TJ-3100V, TJ-3400U, TJ-3400UM, TP-5116, TP-5416, TP-8102, TP-8402, TP-8000BT Series, TP-8000R Series, TS-2116, TS-2416, TS-3116, TS-3416 |
|  | M12      | Works with Maxon:<br>TPD-1116, TPD-1416, TPD-1124, TPD-1424   |
|  | M14      | Works with Maxon:<br>TPD-8124, TPD-8424   |
|  | K        | Works with Maxon:<br>TS-3416K   |

**MIDLAND**

| Image   | Part no. | Works With Radio Models:  |
|---|----------|---|
|  | S1       | Works with Midland:<br>CXT Series: CXT240, CXT250, CXT280<br><br>GXT Series: GXT200, GXT225, GXT250, GXT255, GXT300, GXT310, GXT325, GXT400, GXT444, GXT450, GXT500, GXT550, GXT555, GXT565, GXT600, GXT635, GXT650, GXT656, GXT661, GXT700, GXT710, GXT720, GXT735, GXT740, GXT745, GXT750, GXT756, GXT757, GXT760, GXT771, GXT775, GXT781, GXT785, GXT789, GXT795, GXT797, GXT799, GXT800, GXT808, GXT850, GXT881, GXT900, GXT950, GXT991, GXT1000, GXT1050, GXT1091, GXT2000, GXT2050, GXT5000<br><br>LXT Series: LXT80, LXT100, LXT101, LXT110, LXT112, LXT114, LXT118, LXT210, LXT216, LXT276, LXT300, LXT303, LXT305, LXT310, LXT312, LXT315, LXT316, LXT318, LXT319, LXT320, LXT322, LXT323, LXT324, LXT326, LXT328, LXT330, LXT335, LXT340, LXT345, LXT350, LXT360, LXT365, LXT376, LXT380, LXT385, LXT410, LXT420, LXT435, LXT440, LXT460, LXT480, LXT490, LXT500, LXT535, LXT560, LXT600<br><br>XT Series: XT14, XT18, XT20, XT22, XT24, XT25, XT26, XT27, XT28, XT30, XT511<br><br>X-Talker Series: T31VP, T51VP3, T55VP3, T61VP3, T65VP3, T71VP3 and T75VP3 |



## Accessory Connector Chart

| Image   | Part no. | Works With Radio Models:  |
|---|----------|---|
|    | M        | Works with Motorola Solutions:<br>Commercial- R2, CP100d, CP200d, CP200, CP200XLS, CP185, BPR40, BPR40d<br>On-Site Business Radios- CLS1110, CLS1410, VL50, DTR Series, R2 Series   |
|    | MA       | Works with Motorola Solutions:<br>On-Site Business Radios CLS1110, CLS1410, CP100d, DLR1020, DLR1060, DTR410, DTR550, DTR600, DTR700, RDM2020, RDM2080D, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV2020, RDV2080D, RDV5100, RMM2050, RMM2050, RMU2040, RMU2080D, RMV2080, XU1100, XU2100, XU2600, XV1100, XV2100 |
|    | M3       | Works with Motorola Solutions:<br>Astro25- XTS1500, XTS2500, XTS3000, XTS3500, XTS5000  |
|    | M4       | Works with Motorola Solutions:<br>Waris Series- HT750/1250/1550, MTX  |
|    | M5       | Works with Motorola Solutions:<br>Waris Series- EX500/560/600   |
|   | M12      | Works with Motorola Solutions:<br>APX Series- 8000, 7000, 6000, 4000, 3000, 1000, 900, SRX 2200, NEXT<br>MOTOTRBO Legacy Series- XPR6300/6350/6380, XPR6500/6550/6580<br>MOTOTRBO Series- XPR7350/7550/7580, XPR7350e/7550e/7580e   |
|  | M14      | Works with Motorola Solutions:<br>MOTOTRBO Series - CURVE, DLR1020, DLR1060, SL300, SL7550/7580/7590, SL3500e, SL7550e/7580e/7590e<br>WAVE- TLK100, TLK110, Nitro- SLN1000  |
|  | M15      | Works with Motorola Solutions:<br>MOTOTRBO Series- XPR3300/3500, XPR3300e/3500e   |
|  | M17      | Works with Motorola Solutions:<br>CLP1010, CLP1040, CLP1060   |
|  | M19      | Works with Motorola Solutions:<br>CLP110e, CLP1010e, CLP1080e   |
|  | M20      | Works with Motorola Solutions:<br>R7 (Global), ION (Global), MXP600   |
|  | MM       | Works with Motorola Solutions:<br>XPR5000 Series Mobile Radio Palm Mic  |
|  | MM1      | Works with Motorola Solutions:<br>CM200d, CM300d, XPR 2500 Mobile Radio Palm Mic<br>WAVE - TLK150   |

## Accessory Connector Chart



| Image | Part no. | Works With Radio Models:   |
|-------|----------|--|
|       | Y3       | Works with Vertex Standard Motorola Solutions:<br>VX-261, eVX531, eVX534, eVX539, VX10, VX130, VX160, VX180, VX210, VX210A, VX230, VX231, VX261, VX264, VX300, VX350, VX351, VX354, VX400, VX410, VX420, VX451, VX454, VX459 |
|       | Y5       | Works with Vertex Standard Motorola Solutions:<br>VTX-720, VDX720, VX820, VX821, VX824, VX829, VX871, VX874, VX879, VX920, VX921, VX924, VX971, VX974, VX979   |
|       | Y6       | Works with Vertex Standard Motorola Solutions:<br>eVX- S24   |



| Image | Part no. | Works With Radio Models:   |
|-------|----------|--|
|       | BK2      | Works with Bendix King:<br>KNG: KNG2   |
|       | K        | Works with Relm:<br>RPU416, RPV516, RPU499, RPV599X, RPV516A, RPV599A Plus, RPU416A, RPU499A Plus, RPU4200 |
|       | M5       | Works with Relm:<br>RPV3000/3600/RPU3000/3600/3300C, RPV7200/7500  |
|       | M        | Works with Relm:<br>RP6500   |



| Image | Part no. | Works With Radio Models:   |
|-------|----------|--|
|       | H4       | Works with RCA:<br>PRODIGI Digital - XR150, BR150, BR850, RDR1520, RDR2325, RDR2385, RDR2500, RDR2550, RDR2620, RDR2650, RDR2680 |
|       | M        | Works with RCA:<br>Commercial Analog Portable - BR200  |



| Image | Part no. | Works With Radio Models:   |
|-------|----------|--|
|       | SP2      | Works with Sepura:<br>SC230 Series, STP8000, STP9000, STP9100, STP9200 |



| Image | Part no. | Works With Radio Models:       |
|-------|----------|--------------------------------|
|       | SN       | Works with Sonim:<br>XP5S, XP8 |



| Image | Part no. | Works With Radio Models:  |
|-------|----------|---|
|       | TA       | Works with Tait:<br>TP7100/8100 series, TP9300/9400 series, Harris TP3300/TP3350, TP9500/TP9600 |



| Image | Part no.           | Works With Radio Models:                         |
|-------|--------------------|--|
|       | M<br>Digital Ready | Works with Tekk:<br>XU100, XV100, XU1000, XV1000 |

## Accessory Connector Chart



PROFESSIONAL WIRELESS  
COMMUNICATIONS

---

Specialist in Two-Way Radio

952-746-2500 | [www.PWCMN.com](http://www.PWCMN.com)